



# FUTURISTIC BIOTECHNOLOGY

<https://fbtjournal.com/index.php/fbt>

ISSN (E): 2959-0981, (P): 2959-0973

Vol 05 Issue 01, (Jan-Mar, 2025)



## Original Article



## Development of Plant-Based Milk by Combining Sesame Seeds, Pumpkin Seeds, Mango-Flavored Sesame, and Dates Flavored Sesame

Saba Nadeem Dar<sup>1</sup>, Aqsa Khalid<sup>1</sup>, Tazmeen Aslam<sup>1</sup>, Sheeza Ahsan<sup>1</sup>, Maryam Sadaqat<sup>1</sup> and Chaman Batool<sup>1</sup>

<sup>1</sup>Department of Nutrition and Dietetics, University of Management and Technology, Lahore, Pakistan

## ARTICLE INFO

### Keywords:

Plant-Based Milk, Sesame Seeds, Pumpkin Seeds, Sensory Evaluation

### How to Cite:

Dar, S. N., Khalid, A., Aslam, T., Ahsan, S., Sadaqat, M., & Batool, C. (2025). Development of Plant-Based Milk by Combining Sesame Seeds, Pumpkin Seeds, Mango-Flavored Sesame, and Dates Flavored Sesame : Plant-Based Milk by Combining Sesame and Pumpkin Seeds. *Futuristic Biotechnology*, 5(1), 51-56. <https://doi.org/10.54393/fbt.v5i1.162>

### \*Corresponding Author:

Saba Nadeem Dar  
Department of Nutrition and Dietetics, University of Management and Technology, Lahore, Pakistan  
sabadaar21@gmail.com

Received date: 5<sup>th</sup> February, 2025

Acceptance date: 24<sup>th</sup> March, 2025

Published date: 31<sup>st</sup> March, 2025

## ABSTRACT

Despite the increased demand for plant-based milk alternatives, there is a lack of sustainable and nutritious options that combine the nutritional benefits of sesame and pumpkin seeds.

**Objectives:** To develop plant-based milk by combining sesame seeds and pumpkin seeds, assess the sensory and nutritional properties by using a hedonic scale and proximate analysis and do a cost analysis of this plant-based milk. **Methods:** A cross-sectional study took place at the lab of UVAS Lahore, Pakistan. Three samples were developed per 100ml (sesame and pumpkin seeds milk, mango flavored sesame and pumpkin seeds milk and dates flavored sesame and pumpkin seeds milk). Sensory evaluation was done using a hedonic scale. Proximate analysis was also performed to calculate dry matter, crude protein, fat and ash content of the three samples. **Results:** Date flavor was the most liked sample (40%) rating in appearance, 50% in odor, 50% in taste and 60% in texture. Proximate analysis of the first sample (sesame and pumpkin seeds milk) showed that it contained about 19.17% dry matter, 7.04% crude protein, 2.20% fat and 0.90% ash content. Proximate analysis of the second sample (mango flavor) showed about 13.00% dry matter, 3.60% crude protein, 4.00% fat and 0.46% ash content. Proximate analysis of the third sample (dates flavor) achieved 15.67% dry matter, 3.74% crude protein, 5.00% fat and 0.38% ash content. **Conclusions:** It was concluded that it is easier to make this plant-based dish using ingredients which are easily available from the local store.

## INTRODUCTION

The consumers have developed a great interest in consuming those products that are made from vegetable raw materials. Among the population, there is a great increase in the number of allergic diseases. These allergies affect both children and adults equally. Cow's milk protein or lactose allergy is one of the most prevalent allergies which due to some enzymatic changes, the body is not able to absorb lactose. These alternatives were being developed because the cow's milk contains up to 80% casein in its protein composition, while the plant-based milk alternatives do not contain lactose and casein [1]. Sesame seed is unusual in its composition, containing significant levels of crude protein, moisture, crude fat, carbs, crude fiber, and mineral components. It is observed

that sesame seeds contain 4.53% of moisture, 22.41% crude protein, 41.20% crude fat, 3.42% crude fiber and 4.27% ash content. Sesame seeds are known not only for their traditional use but also for their pharmaceutical, nutraceutical and industrial roles [2]. Sesame milk contains nutraceutical properties such as anti-oxidative, hypocholesterolemia, anti-carcinogenic, anti-tumor and antiviral activities [3]. Sesame milk can overcome the restrictions of soy milk use, such as flatulence, allergy to soy proteins, and off-flavors [4]. Cold plasma processing is a non-thermal technique which can be used to reduce the Ige-mediated allergies caused by sesame milk [5]. Pumpkin belongs to the Cucurbita species and family Cucurbitaceae. There are 3 species of pumpkin, i-e.



cucurbita maxima, cucurbita pepo, and cucurbita moschata [6]. It is a diploid plant that usually contains 20 pairs of chromosomes. The use of pumpkin seeds is different, as in domestic purposes, uncooked, cooked or roasted depending on the area and personal choices of the people [7]. Pumpkin seeds consist of many beneficial nutrients and nutraceuticals such as curcubitans, unsaturated fatty acids, amino acids, phyto-sterols and tocopherols. They also contain zinc, iron, calcium, potassium, copper, phosphorus, magnesium and manganese. The calories in pumpkin seeds vary, but they usually include 574 calories of energy per 100 grams, 49 grams of fat, 6.6 grams of fiber, and 30 grams of protein. Pumpkin seeds are a fantastic addition to a healthy diet due to their high protein content. Pumpkin seeds also possess cyto-protective effects (the ability to protect the cells from metabolic attacks). Along with pumpkin seeds also have antimicrobial and wound healing effects [8]. Pumpkin seeds have antioxidant properties. Thus, they are considered a valuable ingredient to be added to food products. Lack of beneficial nutrients is a major concern in the world. To overcome this problem, food additives can be used, originating from plant sources, and pumpkin seeds are one of them. By adding pumpkin seed flour, the nutritional quality of the product can be enhanced or enriched [9]. By producing biscuits made with ingredients like pumpkin seed meal, konjac and maltitol, it is proven that biscuits can be made healthier, more nutritious and can be beneficial for cardiac, diabetic and obese patients [10]. Pumpkin seed oil (PSO) is extremely beneficial not only to diabetics, but also to hypertension and dyslipidemia [11]. Heat treatment is the most crucial step to enhance the stability, improve the physicochemical properties of food products such as pumpkin seeds [12]. Pumpkin seeds prevent stomach, lung, or colon cancers [13]. In Korea, pumpkin seeds are used for the treatment of depression [14]. The use of pumpkin seeds daily reduces the chance of Parkinson's and Alzheimer's diseases [15]. In previous studies, there was a lack of a plant-based milk which was made from combining two or more seeds.

This study aims to develop a plant-based milk by combining sesame seeds and pumpkin seeds, and also produces two more flavors using mango and dates. The sensory and nutritional properties were also evaluated by using the hedonic scale and proximate analysis. Along with that, a cost analysis of this plant-based milk was also performed.

## METHODS

This was a cross-sectional study in which a product was developed and given to the expert panel, then compared for differences based on sensory evaluation. This study took


place at the lab of the University of Veterinary and Animal Sciences (UVAS), Lahore, Pakistan. All the ingredients were bought from the local market. For the preparation of the product, a blender, mesh filter, measuring cups and bottles were used. A product was developed using two types of seeds. Along with that, two more flavors were produced using mango and dates. Four samples were produced. These samples were collected in 100 ml bottles. Quantities of ingredients were sesame seeds (125g), pumpkin seeds (14g), mango (30g), and dates (72g). For the first sample (sesame and pumpkin seed milk), about 41.6 grams of sesame seeds, 4.6 grams of pumpkin seeds were taken. These seeds were roasted for 1 minute. Then blended with the help of a blender by adding 2.5 cups of water. After blending it, it was filtered out with the help of a mesh filter. Milk of thin consistency was obtained. For the preparation of the second sample using mango (Sindri), all the above steps were repeated. Mango pulp was extracted using a strainer. About 2.5 tablespoons of mango pulp were added to 1/2 cup of milk. Then the remaining pulp was strained using a mesh filter. For a thin consistency, water was added. For the preparation of the third sample, dates were used. All the steps of the first sample were repeated. After that, about 3 dates were added to 1/2 cup of milk. Then it was blended using a blender. It was strained. To achieve a thin consistency, a few drops of water were added. After the development of the samples, sensory evaluation (appearance, texture, smell, taste) was performed by the expert panel of 10 panelists. The hedonic scale was used for sensory evaluation. Hedonic scale used ratings from 1 to 9. 1 denotes extremely dislike, and 9 denotes extremely like. To calculate the dry matter, fat, protein, and ash content of the three samples, proximate analysis was conducted. For dry matter analysis, a dish was weighed before putting the sample on it (W1). All the samples were put into their respective dishes and weighed before drying (W2). After weighing the samples, it was dried in the oven at 102 degrees Celsius until the dry matter was obtained. Then the weight of the samples was recorded again, and dry matter was analyzed (W3).  $\text{Dry matter} = \frac{W2 - W3}{W2 - W1} \times 100$ . For fat analysis, the Gerber machine method was used. The Gerber machine uses centrifugal force to extract the fat content of the given sample. For this purpose, sulphuric acid of about 10 ml was taken and pipetted into the butyrometer. Along with that, a quantity of 10 ml of the sample was added to the sulphuric acid. Following this, about 1 ml of amyl alcohol was added to the mixture. It was shaken until the milk was completely absorbed by the acid. After this, the butyrometer was placed in a water bath for about five minutes at 65 degrees, and then it was centrifuged in a Gerber machine for five minutes. This step

was repeated. The final reading of the fat content was recorded. SNF content (%) = Total solids (%) - Fat (%) (3). For the determination of ash content, a dish was weighed first (W1), then the sample was put into the dish after weighing it (W2), and the sample was heated in a furnace at about 500 degrees until a grey colour of ash appeared. The final readings were calculated for the ash content. % Ash =  $W3 - W1 \div W2 - W1 * 100$ . All the data were analyzed by using SPSS version 26.0 computer software. The data were expressed in the form of pie charts, and bar charts were made with the help of MSEXCEL.

## RESULTS

In the sensory evaluation of Sample A, out of all sensory characteristics, the appearance of sesame and pumpkin milk was liked by the majority (60%) (Figure 1).


**Sensory evaluation of Sample A**



**Figure 1:** Sensory Evaluation of Sample D

For mango flavored sesame milk (Sample B), all the sensory attributes got an average rating of 30% from the panelists (Figure 2).


**Sensory evaluation of Sample B**



**Figure 2:** Sensory Evaluation of Sample B


For the dates flavour of the sesame and pumpkin seeds milk (Sample C), texture was the sensory quality that was liked by 60% of the panelists. But out of three samples, Sample C was the most liked one (Figure 3).

## Sensory evaluation of Sample C



**Figure 3:** Sensory Evaluation of Sample C

Proximate analysis of the sesame and pumpkin seeds milk (Sample A) showed that it contained about 19.17% dry matter, 7.04% crude protein, 2.20% fat and 0.90% ash content. Proximate analysis of the mango flavour (Sample B) showed about 13.00% dry matter, 3.60% crude protein, 4.00% fat and 0.46% ash content. Proximate analysis of the date's flavor (Sample C) achieved 15.67% dry matter, 3.74% crude protein, 5.00% fat and 0.38% ash content. According to proximate analysis of the three samples, Sample A (sesame and pumpkin seeds milk) contains the highest amount of dry matter, crude protein, ash content and the lowest amount of fat as compared to Sample B and C (Figure 4).



**Figure 4:** Proximate Analysis of the A, B and C Samples

Cost analysis of the sesame and pumpkin seeds (Sample A) showed that it costs Rs 58.6 per 100ml. Cost analysis of the mango flavor (Sample B) showed that it costs Rs 64.6 per 100ml. Cost analysis of the dates flavor (Sample C) showed that it costs Rs 116.2 per 100ml. After assessing the cost analysis of the three samples, it was found that Sample A was the cheapest one, with the price of 58.6 rupees per 100 ml (Table 1).

**Table 1:** Cost Analysis of Sample A, Sample B and Sample C

Sesame and Pumpkin Seed Milk per 100 ml			
Ingredients	Quantity Used (g)	Price in Rupees	Price in Rupees per Quantity Used
Sesame Seeds	41.6	300 per 250 g	40
Pumpkin Seeds	4.6	1000 per 250 g	18.6
Total	46.2	1300 g	58.6
Mango Flavored Sesame And Pumpkin Seed Milk per 100 ml			
Sesame Seeds	41.6	300 per 250 g	40
Pumpkin Seeds	4.6	1000 per 250 g	18.6
Mango	30	500 per 500 g	6
Total	76.2	1800 g	64.6
Dates Flavored Sesame and Pumpkin Seed Milk per 100 ml			
Sesame Seeds	41.6	300 per 250 g	40
Pumpkin Seeds	4.6	1000 per 250 g	18.6
Dates	72	800 per 500 g	57.6
Total	118.2	2100 g	116.2

In terms of calories, Sample A contains about 258.8 kilocalories (Table 2).

**Table 2:** Calorie Content in Sesame and Pumpkin Seed Milk (100ml)

Variables	Quantity
Carbohydrate	11.9g
Protein	8.2g
Fat	21.6g
Total Calories	258.8 kcal

Sample B contains about 276.8 kilocalories (Table 3).

**Table 3:** Calorie Content in Mango Flavored Sesame and Pumpkin Seed Milk (100ml)

Variables	Quantity
Carbohydrate	16.4 g
Protein	8.2 g
Fat	21.7 g
Total Calories	276.8 kcal

Sample C contains 461.8 kilocalories. Hence, sample C contains the highest number of calories compared to the other two samples (Table 4).

**Table 4:** Calorie Content in Dates Flavored Sesame and Pumpkin Seed Milk (100ml)

Variables	Quantity
Carbohydrate	65.9 g
Protein	10 g
Fat	21.8 g
Total Calories	461.8 kcal

## DISCUSSION

In this research, an experimental study was conducted. A plant-based milk was produced from the combination of sesame seeds and pumpkin seeds. The purpose of this research was to develop a product which is an effective alternative or substitute for cow's milk. In this study, three samples were produced. The first sample was made of

sesame and pumpkin seed milk. The second sample was mango flavored sesame and pumpkin seeds. And third sample was dates flavored with sesame and pumpkin seeds. These samples were produced to do a comparison among them in terms of sensory evaluation, proximate analysis and cost analysis. A study was done by Posokina et al., which compared sesame milk with cow's Milk. This alternative was being developed because the cow's milk contains up to 80% casein in its protein composition, while sesame milk does not contain lactose or casein. Sesame contains more than 20 % protein, 50 % fat, a significant amount of dietary fiber (13.3 %) as well as a high content of minerals such as calcium, phosphorus, iron and zinc and vitamins such as A, E and folic acid. The results proved that the sesame milk is not inferior to the cow's milk and even surpasses it in some cases. In conclusion, the functional drink from sesame seeds contributes to the improvement of the body systems, and its main advantage is that it does not contain milk sugar. Thus, it can be recommended to those with lactose intolerance [1]. Comparing this study with the current research, it was found that the past study only compared sesame milk with cow's milk. No plant-based product was developed using sesame and pumpkin seeds [16, 17]. Also, the current research developed two more flavors to enhance the palatability of the milk. In past studies, no other flavors were developed. After producing these samples, sensory evaluation was done using hedonic scale. Sesame and pumpkin seeds milk got an appearance rating of 60%. But it only scored 30% in taste due to its strong flavor [18, 19]. Mango flavored sesame and pumpkin seeds milk got an average of 30% in terms of appearance, odor, taste and texture [20]. That was because it was tasteless. It was not liked by the panelist. However, dates flavored sesame and pumpkin seeds milk got the highest ratings in terms of appearance (40%), odor (50%), taste (50%) and texture (60%) without a single dislike. Hence, it was proved that dates flavored sesame and pumpkin seeds milk is the most accepted one. Proximate analysis of the three samples was done. Sample A showed that it contained about 19.17% dry matter, 7.04% crude protein, 2.20% fat and 0.90% ash content. Sample B showed about 13.00% dry matter, 3.60% crude protein, 4.00% fat and 0.46% ash content. Sample C achieved 15.67% dry matter, 3.74% crude protein, 5.00% fat and 0.38% ash content. These results showed that sesame and pumpkin seeds milk (Sample A) has the highest value of dry matter, crude protein and ash as compared to Samples B and C. Thus, Sample A is the most nutritious one. A study was done by El-Bialy et al., to provide a nutritious and palatable replacement milk for lactose and casein sensitivity. Sesame Milk has higher amounts of potassium, copper, zinc, manganese and selenium. Sesame milk can overcome the restrictions of soymilk use, such as flatulence,



allergy to soy proteins, and off flavours. In the chemical composition, sesame Milk contains 13.38% protein, 26.52% fat, 1.19% ash, 58.91% carbohydrate, and 87.97% moisture [4]. Compared to current research, it was found that sesame and pumpkin seed milk contained about 19.17% dry matter, 7.04% crude protein, 2.20% fat and 0.90% ash content. All these values are less because the product is made from two seeds. The carbohydrate content and moisture content were calculated, which are about 58.91% and 87.97% in the above study. Whereas in this research, the carbohydrate content and moisture content were not calculated. According to this study, the sesame milk had good sensor judging value in terms of taste, flavor, colour, texture, etc. But in the current research, the sensory values were not as acceptable as the dates flavored sesame and pumpkin seeds milk. Cost analysis of all samples was done to determine which sample cost the least. It was evident that the sesame and pumpkin seeds milk cost only Rs. 58.6, making it the cheapest sample out of all three. As compared to past studies, cost analysis of the plant-based milk was not performed.

## CONCLUSION

It was concluded that with an increasing trend of producing plant-based products, there is a high demand for dairy alternatives. Several plant-based milks have been produced, but there was a lack of a hybrid product. This research project developed a hybrid plant-based milk by combining sesame and pumpkin seeds. This study provided insight on how to make a plant-based milk, how much it costs and what the sensory attributes are acceptable and which attributes need more work to be better. This study successfully met all three objectives (development of plant-based milk, sensory and nutritional analysis, and cost analysis). However, there were some limitations to it; for example, shelf life was not taken into consideration. Future researches need to further work on it.

## Authors Contribution

Conceptualization: TA

Methodology: AK, TA

Formal analysis: SND, AK, MS

Writing review and editing: SA, CB

All authors have read and agreed to the published version of the manuscript.

## Conflicts of Interest

All the authors declare no conflict of interest.

## Source of Funding

The authors received no financial support for the research, authorship and/or publication of this article.

## REFERENCES

- [1] Posokina NE, Alabina NM, Davydova AY. Development of Functional Beverages from Plant Raw Materials –Replacements for Dairy Products. *Food systems*. 2019 Jul;2(2):44–7. doi:10.21323/2618-9771-2019-2-2-44-47.
- [2] Abbas S, Sharif MK, Sibte-e-Abbas M, Fikre Teferra T, Sultan MT, Anwar MJ. Nutritional and Therapeutic Potential of Sesame Seeds. *Journal of Food Quality*. 2022; 2022(1): 6163753. doi: 10.1155/2022/6163753.
- [3] Thakur N, Gupta N, Sood M, Bandral JD, Singh J, Bhat A et al. Plant-Based Milk Alternatives: An Emerging Segment: A. *The Pharma Innovation Journal*. 2022; SP-11(9):2752–2758.
- [4] El-Bialy EF, Abd-Elkader MH, Yousef NS. Non-Dairy Alternative Milk for People with Lactose and Casein Intolerance. *Journal of Food and Dairy Sciences*. 2020 Dec;11(12):347–53. doi:10.21608/jfds.2020.160395.
- [5] Manoharan D, Rajan A, Stephen J, Radhakrishnan M. Evaluating the Influence of Cold Plasma Bubbling on Protein Structure and Allergenicity in Sesame Milk. *Allergologia Et Immunopathologia*. 2023 Mar;51(SP1):1–3. doi:10.15586/aei.v51iSP1.783.
- [6] Boujemaal, El Bernoussi S, Harhar H, Tabyaoui M. The Influence of the Species on the Quality, Chemical Composition and Antioxidant Activity of Pumpkin Seed Oil. *Oil Seeds and Fats, Crops and Lipids*. 2020; 27:40. doi:10.1051/ocl/2020031.
- [7] Syed QA, Akram M, Shukat R. Nutritional and Therapeutic Importance of the Pumpkin Seeds. *Seed*. 2019;21(2):15798–803. doi:10.26717/BJSTR.2019.21.003586.
- [8] Batool M, Ranjha MM, Roobab U, Manzoor MF, Farooq U, Nadeem HR et al. Nutritional Value, Phytochemical Potential, and Therapeutic Benefits of Pumpkin (*Cucurbita* sp.). *Plants*. 2022 May;11(11):1394. doi:10.3390/plants11111394.
- [9] Shevchenko A, Drobot V, Galenko O. Use of Pumpkin Seed Flour in Preparation of Bakery Products. 2022; 11(1): 90–101. doi:10.24263/2304-974X-2022-11-1-10.
- [10] Gao D, Helikh A, Duan Z, Liu Y, Shang F. Development of Pumpkin Seed Meal Biscuits. *Eastern European Journal of Enterprise Technologies*. 2022 Apr;2(11):116. doi:10.15587/1729-4061.2022.254940.
- [11] Majid AK, Ahmed Z, Khan R. Effect of Pumpkin Seed Oil on Cholesterol Fractions and Systolic/Diastolic Blood Pressure. *Food Science and Technology*. 2020 Aug;40: 769–77. doi: 10.1590/fst.03720.
- [12] Yu M, Peng M, Chen R, Chen J. Effect of Thermal Pretreatment on the Physicochemical Properties and Stability of Pumpkin Seed Milk. *Foods*. 2023 Mar;

- 12(5): 1056. doi: 10.3390/foods12051056.
- [13] Dowidar M, Ahmed A, Mohamed H. The Critical Nutraceutical Role of Pumpkin Seeds in Human and Animal Health: An Updated Review. *Zagazig Veterinary Journal*. 2020 Jun; 48(2): 199-212. doi: 10.21608/zvjz.2020.22530.1097.
- [14] Ceclu L, Mocanu DG, Nistor OV. Pumpkin-Health Benefits. *Journal of Agroalimentary Processes and Technologies*. 2020; 26(3): 241-6.
- [15] Singh A and Kumar V. Pumpkin Seeds as Nutraceutical and Functional Food Ingredient for Future: A review. *Grain and Oil Science and Technology*. 2024 Mar; 7(1): 12-29. doi: 10.1016/j.gaost.2023.12.002.
- [16] Kuru C, Tontul I. Optimization of Plant-Based Milk Formulation Using Hazelnut, Sunflower Seed and Pumpkin Seed by Mixture Design. *Turkish Journal of Agriculture-Food Science and Technology*. 2020 Nov; 8(11): 2441-8. doi: 10.24925/turjaf.v8i11.2441-2448.3726.
- [17] Sá AG, da Silva DC, Pacheco MT, Moreno YM, Carciofi BA. Oilseed By-Products as Plant-Based Protein Sources: Amino Acid Profile and Digestibility. *Future Foods*. 2021 Jun; 3: 100023. doi: 10.1016/j.fufo.2021.100023.
- [18] Kudva KM. Formulation and Quality Evaluation of Sesame-Pumpkin Burfi. 2022.
- [19] Plamada D, Teleky BE, Nemes SA, Mitrea L, Szabo K, Călinoiu LF et al. Plant-Based Dairy Alternatives—A Future Direction to the Milky Way. *Foods*. 2023 May; 12(9): 1883. doi: 10.3390/foods12091883.
- [20] Kirker CL, Newman M. *Mango: A Global History*. Reaktion Books. 2024 Aug.